EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	85	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (simulat$5 near3 (device or insturment)) and (national and instruments).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:15
L4	7	(("4,901,221") or ("4,914,568") or ("5,291,587") or ("5,301,301")).PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/09 09:14
L5	309003	"7" and (simulat$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:14
L6	3	4 and (simulat$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:14
L8	747	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (simulat$5 near3 (device or instrument)) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:33
L9	1038	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (acquir$6 near3 input) and (acquir$6 near3 output)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:39
L10	121	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (user with (start or initi$6) with input with acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:40

EAST Search History

L11	18	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (user with (start or initi$6) with input with acquisition) and (user with (start or initi$6) with output)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:45
L12	324	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (message with (updat$4 or start$4 or initia$5) near4 input) and (message with (updat$4 or start$4 or initia$5) near4 output)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:46
L13	6	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (message with (updat$4 or start$4 or initia$5) near4 input) and (message with (updat$4 or start$4 or initia$5) near4 output) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:11
L14	192	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (acquisition with trigger with (send$5 or transmit$4 or transfer$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:27
L15	1897	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (input with trigger with (send$5 or transmit$4 or transfer$4)) and (output with trigger with (send$5 or transmit$4 or transfer$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:32

EAST Search History

L16	46	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (input with trigger with (send$5 or transmit$4 or transfer$4)) and (output with trigger with (send$5 or transmit$4 or transfer$4)) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 10:30
L17	46	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (input with trigger with (send$5 or transmit$4 or transfer$4)) and (output with trigger with (send$5 or transmit$4 or transfer$4)) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 11:14
L18	43	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (identif$4 near3 channel near3 in near3 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 11:44
L19	43	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (identif$4 near4 input near4 channel) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:30
L20	0	370/389.ccls and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:49
L21	3151	370/389.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:50

EAST Search History

L22	1007	370/254.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:50
L23	137	370/257.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:52
L24	2630	370/252.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:53
L25	466	370/395.2.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:53
L26	557	370/419.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:53
L27	395	370/437.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:54
L28	790	370/441.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:54
L29	763	370/442.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:54

EAST Search History

L30	322	370/461.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:55
L31	466	370/473.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:56
L32	823	370/537.ccls. and (@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 12:56
S1	436709	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((combin$4 or group$4 or mix$4 or merg$4 or incorporat$4 or unit$4) near3 (input or output) with (message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 12:03
S2	49	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((combin$4 or group$4 or mix$4 or merg$4 or incorporat$4 or unit$4) near3 (input or output) with (message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2)) and (national and instruments).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 12:13
S3	96532	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2) with ((multiple or another or second) near4 (input or output)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 12:22

EAST Search History

S4	11110	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2) with ((multiple or another or second) near4 ((input or output) near2 (channel or data))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 12:27
S5	4855	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2) with ((combin$4 or group$4 or mix$4 or merg$4 or incorporat$4) near4 ((input or output) near2 (channel or data))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 12:27
S6	153	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2) with ((combin$4 or group$4 or mix$4 or merg$4 or incorporat$4) near4 ((input or output) near2 (channel or data)))) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:34
S7	2	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (((message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2) with ((combin$4 or group$4 or mix$4 or merg$4 or incorporat$4) near4 ((input or output) near2 (channel or data)))) same ((user$2 or operator) near3 config$6)) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:02

EAST Search History

S8	0	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2) with ((combin$4 or group$4 or mix$4 or merg$4 or incorporat$4) near4 ((input or output) near2 (channel or data)))) and (data acquisition) and (CAN) and (arbitration ID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:11
S9	144	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and ((message or packet or unit or (data adj unit$2) or grain or cell$2 or frame$2) with ((combin$4 or group$4 or mix$4 or merg$4 or incorporat$4) near4 ((input or output) near2 (channel or data)))) and (data acquisition) and (CAN)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 15:13
S10	2	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (graph near2 (program of software or tool) or (virtual instrument)) and (data acquisition) and ((digital or discrete) near3 (input near2 channel)) and ((digital or discrete) near3 (output near2 channel)) and (national and instruments).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 16:59
S11	2	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (graph near2 (program of software or tool) or (virtual instrument)) and (data acquisition) and ((digital or discrete) near3 (input near2 channel)) and ((digital or discrete) near3 (output near2 channel)) and (national and instruments).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 17:01

EAST Search History

S12	12	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (data acquisition) and ((digital or discrete) near3 (input near2 channel)) and ((digital or discrete) near3 (output near2 channel)) and (national and instruments).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 17:03
S13	45	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (data acquisition) and ((digital or discrete) near3 (input)) and ((digital or discrete) near3 (output)) and (graph$5) and (national and instruments).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 17:06
S14	45	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (data acquisition) and ((digital or discrete) near3 (input)) and ((digital or discrete) near3 (output)) and (graph$5) and (national and instruments).as. and (CAN or CAL or devicenet or canopen)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 17:06
S15	19	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (data acquisition) and ((digital or discrete) near3 (input)) and ((digital or discrete) near3 (output)) and (graph$5) and (national and instruments).as. and (CAL or devicenet or canopen)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 17:17
S16	45	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (data acquisition) and ((digital or discrete) near3 (input)) and ((digital or discrete) near3 (output)) and (graph$5) and (national and instruments).as.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 10:51

EAST Search History

S17	0	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") ((config$4 or set$4) near4 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:22
S18	262404	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((config$4 or set$4) near4 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:07
S19	259	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((config$4 or set$4) near4 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain)) with (combin$4 with (input or output))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 11:20
S20	12	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((config$4 or set$4) near4 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain)) with (combin$4 with (input or output)) same (user$2 or operator$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 11:42
S21	259	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((config$4 or set$4) near4 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain)) with (combin$4 with (input or output))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 11:49

EAST Search History

S22	7	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((config$4 or set$4) near4 (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain)) with (combin$4 with (input or output)) and ((data near3 acquisition) or daq)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 11:50
S23	11389	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((multiplex$4 near4 (input or output)) with (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:24
S24	37	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((multiplex$4 near4 (input or output)) with (cell$2 or frame$2 or PDU$2 or segment$2 or fragment$2 or datagram$2 or packet$2 or (data adj unit$2) or grain or message)) same (user with (config$4 or set$4))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:25
S25	13	("5121041" \| "5295178" \| "5333177" \| "5375604" \| "5381804" \| "5417222" \| "5438329" \| "5579775" \| "5704351" \| "5724025" \| "5745049" \| "5755230" \| "6052600").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/08/07 12:50
S26	20	("6167258").URPN.	USPAT	ADJ	ON	2007/08/07 12:57
S27	263	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (((multiple or several) near4 ((input or output) near3 channel)) with (packet or cell or frame or message or datagram or fragment or (data adj unit) or segment))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:55

EAST Search History

S28	3087	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (can network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:57
S29	1895	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (controller area network)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:57
S30	0	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (controller area network) and (frame with ((multiple or several or combin$4) near3 ((output or input) near2 (channel or data))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:59
S31	0	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (controller area network) and (frame with ((multiple or several or combin$4) with ((output or input) with (channel or data))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:59
S32	1	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and (controller area network) and (frame same ((multiple or several or combin$4) with ((output or input) with (channel or data))))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 15:22
S33	1	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((broadcast$4) and cofig$6) and ("370" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 15:25

EAST Search History

S34	14888	(@ad<="20021114" or @pd<="20031115" or @rlan<="20031115" or @rlad<="20031115" or @rlpn<="20031115") and ((broadcast$4) and config$6) and ("370" or "709").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 15:25
S36	2	("6845416").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/07 17:42
S37	2	("5,704,351").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/08 11:13
S38	498	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (config$7 (messag$2 or signal$2)) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:18
S39	34	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (initializ$4 with wireless with config$7) and ("370" or "455").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:21
S40	1389	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (user with wireless with config$7) and ("370" or "455").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:35
S41	0	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual insturment)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:35

EAST Search History

S42	202	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:36
S43	142	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:36
S44	90	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow program)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:38
S45	18	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow program) and (logging)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:40
S46	0	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow program) and (logging) and (arbitration ID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:39
S47	0	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow program) and (logging) and (identif$4 near4 channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:39

EAST Search History

S48	0	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow program) and (logging) and (identif$4 with channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:39
S49	2	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow program) and (identif$4 with channel)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:40
S50	15	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (national instruments).as. and (virtual instrument) and (data flow program) and (logging) and (simulat$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/09 09:03
S51	2660	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (((ID or identification) near3 channel) with (packet or message or segment or cell))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 17:53
S52	17	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (((ID or identification) near3 (input near2 channel)) with (packet or message or segment or cell))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 18:03
S53	150	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (arbitration (ID or identification))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 18:12

EAST Search History

S54	228	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (identif$5 near3 (input channel))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 18:12
S55	32	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (identif$5 near3 (input channel)) and (data acquisition)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 18:17
S56	8	(@ad<="20031114" or @pd<="20031114" or @rlan<="20031114" or @rlad<="20031114" or @rlpn<="20031114") and (identif$5 near3 ((input or output) channel)) and (data acquisition) not S55	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/08 18:18